CLAIMS

What is claimed is:

A composition, comprising:
 polyethylene terephtalate (PET); and
 elastomeric material.

sub

2. A composition in accordance with claim 1 wherein said PET comprises recycled plastic bottles comprising PET.

3. A composition in accordance with claim 1 wherein said elastomeric material comprises recycled tires.

- 4. A composition in accordance with claim 3 wherein said elastomeric material further comprises ethylene-propylene-diene monomer (EPDM) selected from the group consisting of: wiper blades and door gaskets.
- 5. A composition in accordance with claim 1 wherein said elastomeric material comprises at least one elastomeric selected from the group consisting of: styrene-butadiene, polybutadiene, polyisoprene, and natural rubber.
- 6. A composition in accordance with claim 1 further comprising polyolefins selected from the group consisting of polyethylene and polypropylene.
- 7. A composition in accordance with claim 6 wherein said polyolefins comprise recycled products selected from the group consisting of: bottle-base cups, bottle caps, labels, milk jugs, garbage bags, scrap sheeting, plastic bottles, and plastic toys.
- 8. A composition in accordance with claim 1 including at least one additive selected from the group consisting of a foaming agent, compatibilizer agent, chain extending agent, hydrolytic resistance agent, and filler.

mproper Menteush purchetionship

SUB_ 136/

And in the state of the state o

9. A composition in accordance with claim 1 wherein said composition comprises a product selected from the group consisting of: a railroad tie, post, beam, strut, plank, pole, dock support, deck, boat slip, pier, stake, shovel, rake, ax handle, hammer, handles, shingle, baseball bat, and cricket bat.

10. A composition, comprising by weight:

from about 5% to about 95% polyethylene terephthalate (PET) with an inherent viscosity (I.V.) from about 0.4 to about 0.9; and

from about 5% to about 50% elastomeric-containing material selected from the group consisting of styrene-butadiene, polybutadiene, polyisoprene, and natural rubber.

11. A composition in accordance with claim 10 comprising by weight:

from about 20% to about 80% PET with an inherent viscosity from about 0.5 to about 0.8; and

from about 10% to about 45% elastomeric-containing material with a density from about 0.9 to about 0.96 g/cc.

12. A composition in accordance with claim 10 comprising:

from about 30% to about 60% PET with an inherent viscosity from about 0.6 to about 0.7; and

from about 20% to about 40% elastomeric-containing material.

- 13. A composition in accordance with claim 10 including at least one foaming agent selected from the group consisting of: carbon dioxide, nitrogen, argon, cyclopentane, and a fluorocarbon partially substituted with chlorine, bromine, or iodine.
- 14. A composition in accordance with claim 10 comprising by weight:

 from about 0% to about 25% polyolefin selected from the group consisting of polyethylene and polypropylene;

a compatibilizing agent comprising at least one binder selected from the group consisting of about 0% to about 6% Hytel-type binder comprising thermoplastic polyester elastomer of polybutylene terephthalate (PBT) and polytetrahydrofusan glycol, from about

0% to about 3% maleated polyolefin binder selected from the group consisting of polyethylene and polypropylene, and from about 0% to about 1% polyester elastomer binder comprising polybutadienediaol (PDS);

from about 0.05% to about 2%/of a branching agent providing a chain extending agent selected from the group consisting of pyromellitic dianhydride, trimellitic anhydride, benzophenonetetracarboxylic acid dianhydride, sulfonyldiphthalic acid dianhydride, 2, 2-bis (2-oxazoline), and pentaerythritol;

from about 0% to about 3% hydrolytic resistance agent selected from the group consisting of 2, 2'-bis (2-oxazoline), poly (1, 3, 5-triisopropylphenylene-2, 4-carbodiimide, N, N'-bis (2, 6-disopropylphenyl) carbodiimide, and 2, 6, 2', 6'-tetraisopropyldipheyl carbodiimide; and

from about 0% to about 30% filler comprising additives selected from the group consisting of talc, silica, colorant, glass fibers, carbon black, and calcium carbonate.

15. A composition in acfordance with claim 14 comprising by weight:

from about 0% to about 15% polyolefin;

a compatibilizing agent comprising at least one binder selected from the group consisting of about 1% to about 5% Hytel-type binder, from abut 1% to about 2% maleated polyolefin binder, and from about 0/1% to abut 0.8% polyester elastomer binder;

from about \$1.2% to about 1% branching agent;

from about 0% to about 2% hydrolytic resistance agent; and from about 0% to about 25% filler.

16. A composition in accordance with claim 14 comprising by weight:

from about 0% to about 5% polyolefin;

a compatibilizing agent comprising at least one binder selected from the group consisting of about 2% to about 4% Hytel-type binder, from about 0.5% to about 1.5% maleated polyolefin binder, and from about 0.3% to about 0.6% polyester elastomer binder;

from about 0.3% to about 0.6% branching agent;

from about 0.5% to about 1% hydrolytic resistance agent; and

from about 0% to about 20% filler.

20

- 17. A composition in accordance with claim 14 wherein said polyolefins comprise recycled products selected from the group consisting of: bottle-base cups, bottle caps, labels, milk jugs, garbage bags, scrap sheeting, plastic bottles, and plastic toys.
- 18. A composition in accordance with claim 10 wherein:
 said PET comprises recycled PET bottles; and
 said elastomeric-containing material comprises granulated or pulverized recycled tires.
 - 19. A composition in accordance with claim 18 further comprising ethylene-propylene-diene monomer (EPDM) selected from the group consisting of vehicle wiper blades, door gaskets, vehicle seals, and refrigerator seals.
 - 20. A composition in accordance with claim 10 wherein said composition comprises a product selected from the group consisting of: a railroad tie, post, beam, strut, plank, pole, dock support, deck, boat slip, pier, stake, shovel, rake, ax handle, hammer, handle, shingle, baseball bat, and cricket bat.

The first and the face that the face of the face that the

add BRT